Approved For Release 2002/06/14: CIA-RDP81B00961R000100160123-3

111-07711-64

5 February 1964

HERENTIER FIR: Assistant Birector/OW

SEPTEMBER .

: Itek Proposal to U. S. Havy For use of a 24 Inch Panorasic Common in a Navy Aircraft

1. This memorandum contains a recommendation for your approval contained in paragraph six.

25X1A and on 22 January 1964 by

25X1A

25X1A

3. Itek is proposing on this camera system at the request of says Department, BLAEPS, both of whom are CORONA cleared. The camera system proposal by Itek is an adaptation of the CORONA triple camera and will utilize the 24 Inch, F3.5 Petzval lens. The Navy desires to obtain the camera openly from Itek and classify the hardware and related paper no aligner than SERET.

25X1A

- A. /TRUE/OSA, reviewed the proposal and in a memorandum to Chief, 53/OSA, dated 20 January 1964, a copy of which is attached, indicated that the proposed system is aufficiently dissimiliar from the COROMA system that its proposed use will not compromise the COROMA program.
- 5. The proposal as written comtains several references which are objectionable to COROMA security. The introductory paragraph on page one states that the Petrvel lens these been thoroughly proven. This will have to be deleted. The centence following which states that the proposed system will incorporate many successful Itek equipments about also be deleted. The last sentence in paragraph one, page six, alludes to the flight proven success of the equipment and should be climinated from the proposal. The writer finds nothing additional in the proposal which would tend to compresse COROMA accounts.
- 6. It is recommended that the subject proposal be approved and that Itek and the hery Department be authorized to produce andouse the

HERRICAN CO

Approved For Release 2002/06/14: CIA-RDP81B009618000100160123-3

Approved For Release 2002/06/14: CIA-RDP81B00961R000100160123-3

08A-0771-64 Page 2 owners system under the DOD SECRET security classification. It is 25X1A recommended that be notified of the approval via the attached membrandum and Itek be advised via the attached cable. 25X1A Carer, Security Segui OLA CONCURRENCES 25X1A D/TECH/OSA RECORMENDATION IN PARAGRAPH 6 APPROVED: Alexand) and C. I at hard JACK C. LEDFORD AD/OSA Distribution: Orig. & 1 - 88/08A 1 - AD/OSA 1 - D/TECH/OSA 25X1A 1 - RB/OSA 00/00 dje